

Freeform Search

Database:	<div style="border: 1px solid black; padding: 2px;"> US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins </div>
Term:	<div style="border: 1px solid black; padding: 2px;"> L47 and (no\$ near5 attribut\$) </div>
Display:	<div style="border: 1px solid black; padding: 2px;">100</div> Documents in Display Format: <div style="border: 1px solid black; padding: 2px;">TI,AB</div> Starting with Number <div style="border: 1px solid black; padding: 2px;">1</div>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search

Clear

Interrupt

Search History

DATE: Wednesday, March 17, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L48</u>	L47 and (no\$ near5 attribut\$)	133	<u>L48</u>
<u>L47</u>	(virtual\$ near4 attribut\$)	585	<u>L47</u>
<u>L46</u>	11 and (virtual near9 attribut\$)	0	<u>L46</u>
<u>L45</u>	11 and (execut\$ or run\$ or compil\$)	1	<u>L45</u>
<u>L44</u>	L1 AND VIRTUAL\$	1	<u>L44</u>
<u>L43</u>	11 and (rule\$ or command\$)	1	<u>L43</u>
<u>L42</u>	L41 and (conver\$ or transform\$)	1	<u>L42</u>
<u>L41</u>	11 and yes and (function\$ near4 call\$)	1	<u>L41</u>
<u>L40</u>	11 and return\$	1	<u>L40</u>
<u>L39</u>	11 and (variabl\$ or on\$ or off\$)	1	<u>L39</u>
<u>L38</u>	11 and (conver\$ or transform\$) near6 (method\$ or process\$)	1	<u>L38</u>
<u>L37</u>	11 and (file\$ or encod\$ or process\$)	1	<u>L37</u>
<u>L36</u>	(file\$ or encod\$ or process\$)	2271734	<u>L36</u>
<u>L35</u>	11 and (determin\$ same attribut\$)	1	<u>L35</u>
<u>L34</u>	L33 and attribut\$	1	<u>L34</u>

<u>L33</u>	l1 and (creat\$ or generat\$ or file\$)	1	<u>L33</u>
<u>L32</u>	L31 and annota\$	1	<u>L32</u>
<u>L31</u>	l1 and (execut\$ or run\$ or compil\$)	1	<u>L31</u>
<u>L30</u>	l1 and (compil\$ or mark\$ or iden\$)	1	<u>L30</u>
<u>L29</u>	l1 and (system\$ or environment\$ or variable\$)	1	<u>L29</u>
<u>L28</u>	l1 and execut\$	1	<u>L28</u>
<u>L27</u>	L26 and (system\$ near5 attribut\$)	1	<u>L27</u>
<u>L26</u>	l1 and (variable\$ OR ENCOD\$)	1	<u>L26</u>
<u>L25</u>	l1 and encod\$ near5 (ident\$ or number\$ or nam\$)	0	<u>L25</u>
<u>L24</u>	l15 and (flag\$ same (program\$ or code\$ or software\$))	1	<u>L24</u>
<u>L23</u>	L22 and (binary near5 switch\$)	15	<u>L23</u>
<u>L22</u>	uniform\$ near8 (encod\$ or transform\$ or conver\$) and non-uniform\$ near8 (encod\$ or transform\$ or conver\$)	1011	<u>L22</u>
<u>L21</u>	L20 and (no\$ near5 (uniform\$ near5 (encod\$ or transform\$ or conver\$)))	81	<u>L21</u>
<u>L20</u>	(uniform\$ near5 (encod\$ or transform\$ or conver\$))	8335	<u>L20</u>
<u>L19</u>	l1 and (tag\$ same assign\$ same null\$)	1	<u>L19</u>
<u>L18</u>	l1 and (tag\$ near9 (conver\$ or transform\$))	1	<u>L18</u>
<u>L17</u>	flag\$ near5 (allow\$ or (no\$ near4 allow\$)) near5 (transform\$ or conver\$)	23	<u>L17</u>
<u>L16</u>	L15 and (flag\$ or conve\$ or transform\$ or auto\$)	1	<u>L16</u>
<u>L15</u>	6230310.pn.	1	<u>L15</u>
<u>L14</u>	auto\$ near5 (conver\$ or transform\$) near5 flag\$	29	<u>L14</u>
<u>L13</u>	auto conversion flag\$	0	<u>L13</u>
<u>L12</u>	l1 and (switch\$ or uniform\$ or encod\$)	1	<u>L12</u>
<u>L11</u>	l1 and binary\$	0	<u>L11</u>
<u>L10</u>	l1 and (user\$ near9 attribut\$)	1	<u>L10</u>
<u>L9</u>	L8 and page\$	0	<u>L9</u>
<u>L8</u>	l1 and code\$	1	<u>L8</u>
<u>L7</u>	l1 and (codepage\$)	0	<u>L7</u>
<u>L6</u>	l1 and (attribut\$ or initia\$)	1	<u>L6</u>
<u>L5</u>	L4 and socket\$ and pipe\$	130	<u>L5</u>
<u>L4</u>	message queue	2252	<u>L4</u>
<u>L3</u>	l1 and (port\$ or service\$)	1	<u>L3</u>
<u>L2</u>	L1 and (messag\$ or queue\$)	1	<u>L2</u>
<u>L1</u>	6009436.pn.	1	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Your wildcard search against 10000 terms has yielded the results below.

Your result set for the last L# is incomplete.

The probable cause is use of unlimited truncation. Revise your search strategy to use limited truncation.

Search Results -

Terms	Documents
L47 and (no\$ near5 attribut\$)	133

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L48

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Wednesday, March 17, 2004 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
	DB=USPT; PLUR=YES; OP=ADJ		
<u>L48</u>	L47 and (no\$ near5 attribut\$)	133	<u>L48</u>
<u>L47</u>	(virtual\$ near4 attribut\$)	585	<u>L47</u>
<u>L46</u>	l1 and (virtual near9 attribut\$)	0	<u>L46</u>
<u>L45</u>	l1 and (execut\$ or run\$ or compil\$)	1	<u>L45</u>
<u>L44</u>	L1 AND VIRTUAL\$	1	<u>L44</u>
<u>L43</u>	l1 and (rule\$ or command\$)	1	<u>L43</u>
<u>L42</u>	L41 and (conver\$ or transform\$)	1	<u>L42</u>
<u>L41</u>	l1 and yes and (function\$ near4 call\$)	1	<u>L41</u>
<u>L40</u>	l1 and return\$	1	<u>L40</u>
<u>L39</u>	l1 and (variabl\$ or on\$ or off\$)	1	<u>L39</u>

<u>L38</u>	l1 and (conver\$ or transform\$) near6 (method\$ or process\$)	1	<u>L38</u>
<u>L37</u>	l1 and (file\$ or encod\$ or process\$)	1	<u>L37</u>
<u>L36</u>	(file\$ or encod\$ or process\$)	2271734	<u>L36</u>
<u>L35</u>	l1 and (determin\$ same attribut\$)	1	<u>L35</u>
<u>L34</u>	L33 and attribut\$	1	<u>L34</u>
<u>L33</u>	l1 and (creat\$ or generat\$ or file\$)	1	<u>L33</u>
<u>L32</u>	L31 and annota\$	1	<u>L32</u>
<u>L31</u>	l1 and (execut\$ or run\$ or compil\$)	1	<u>L31</u>
<u>L30</u>	l1 and (compil\$ or mark\$ or iden\$)	1	<u>L30</u>
<u>L29</u>	l1 and (system\$ or environment\$ or variable\$)	1	<u>L29</u>
<u>L28</u>	l1 and execut\$	1	<u>L28</u>
<u>L27</u>	L26 and (system\$ near5 attribut\$)	1	<u>L27</u>
<u>L26</u>	l1 and (variable\$ OR ENCOD\$)	1	<u>L26</u>
<u>L25</u>	l1 and encod\$ near5 (ident\$ or number\$ or nam\$)	0	<u>L25</u>
<u>L24</u>	l15 and (flag\$ same (program\$ or code\$ or software\$))	1	<u>L24</u>
<u>L23</u>	L22 and (binary near5 switch\$)	15	<u>L23</u>
<u>L22</u>	uniform\$ near8 (encod\$ or transform\$ or conver\$) and non-uniform\$ near8 (encod\$ or transform\$ or conver\$)	1011	<u>L22</u>
<u>L21</u>	L20 and (no\$ near5 (uniform\$ near5 (encod\$ or transform\$ or conver\$)))	81	<u>L21</u>
<u>L20</u>	(uniform\$ near5 (encod\$ or transform\$ or conver\$))	8335	<u>L20</u>
<u>L19</u>	l1 and (tag\$ same assign\$ same null\$)	1	<u>L19</u>
<u>L18</u>	l1 and (tag\$ near9 (conver\$ or transform\$))	1	<u>L18</u>
<u>L17</u>	flag\$ near5 (allow\$ or (no\$ near4 allow\$)) near5 (transform\$ or conver\$)	23	<u>L17</u>
<u>L16</u>	L15 and (flag\$ or conve\$ or transform\$ or auto\$)	1	<u>L16</u>
<u>L15</u>	6230310.pn.	1	<u>L15</u>
<u>L14</u>	auto\$ near5 (conver\$ or transform\$) near5 flag\$	29	<u>L14</u>
<u>L13</u>	auto conversion flag\$	0	<u>L13</u>
<u>L12</u>	l1 and (switch\$ or uniform\$ or encod\$)	1	<u>L12</u>
<u>L11</u>	l1 and binary\$	0	<u>L11</u>
<u>L10</u>	l1 and (user\$ near9 attribut\$)	1	<u>L10</u>
<u>L9</u>	L8 and page\$	0	<u>L9</u>
<u>L8</u>	l1 and code\$	1	<u>L8</u>
<u>L7</u>	l1 and (codepage\$)	0	<u>L7</u>
<u>L6</u>	l1 and (attribut\$ or initia\$)	1	<u>L6</u>
<u>L5</u>	L4 and socket\$ and pipe\$	130	<u>L5</u>
<u>L4</u>	message queue	2252	<u>L4</u>
<u>L3</u>	l1 and (port\$ or service\$)	1	<u>L3</u>
<u>L2</u>	L1 and (messag\$ or queue\$)	1	<u>L2</u>
<u>L1</u>	6009436.pn.	1	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Your wildcard search against 10000 terms has yielded the results below.

Your result set for the last L# is incomplete.

The probable cause is use of unlimited truncation. Revise your search strategy to use limited truncation.

Search Results -

Terms	Documents
L47 and (no\$ near5 attribut\$)	133

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L48

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Wednesday, March 17, 2004 [Printable Copy](#) [Create Case](#)

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
side by side			
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L48</u>	L47 and (no\$ near5 attribut\$)	133	<u>L48</u>
<u>L47</u>	(virtual\$ near4 attribut\$)	585	<u>L47</u>
<u>L46</u>	l1 and (virtual near9 attribut\$)	0	<u>L46</u>
<u>L45</u>	l1 and (execut\$ or run\$ or compil\$)	1	<u>L45</u>
<u>L44</u>	L1 AND VIRTUAL\$	1	<u>L44</u>
<u>L43</u>	l1 and (rule\$ or command\$)	1	<u>L43</u>
<u>L42</u>	L41 and (conver\$ or transform\$)	1	<u>L42</u>
<u>L41</u>	l1 and yes and (function\$ near4 call\$)	1	<u>L41</u>
<u>L40</u>	l1 and return\$	1	<u>L40</u>
<u>L39</u>	l1 and (variabl\$ or on\$ or off\$)	1	<u>L39</u>

<u>L38</u>	l1 and (conver\$ or transform\$) near6 (method\$ or process\$)	1	<u>L38</u>
<u>L37</u>	l1 and (file\$ or encod\$ or process\$)	1	<u>L37</u>
<u>L36</u>	(file\$ or encod\$ or process\$)	2271734	<u>L36</u>
<u>L35</u>	l1 and (determin\$ same attribut\$)	1	<u>L35</u>
<u>L34</u>	L33 and attribut\$	1	<u>L34</u>
<u>L33</u>	l1 and (creat\$ or generat\$ or file\$)	1	<u>L33</u>
<u>L32</u>	L31 and annota\$	1	<u>L32</u>
<u>L31</u>	l1 and (execut\$ or run\$ or compil\$)	1	<u>L31</u>
<u>L30</u>	l1 and (compil\$ or mark\$ or iden\$)	1	<u>L30</u>
<u>L29</u>	l1 and (system\$ or environment\$ or variable\$)	1	<u>L29</u>
<u>L28</u>	l1 and execut\$	1	<u>L28</u>
<u>L27</u>	L26 and (system\$ near5 attribut\$)	1	<u>L27</u>
<u>L26</u>	l1 and (variable\$ OR ENCOD\$)	1	<u>L26</u>
<u>L25</u>	l1 and encod\$ near5 (ident\$ or number\$ or nam\$)	0	<u>L25</u>
<u>L24</u>	l15 and (flag\$ same (program\$ or code\$ or software\$))	1	<u>L24</u>
<u>L23</u>	L22 and (binary near5 switch\$)	15	<u>L23</u>
<u>L22</u>	uniform\$ near8 (encod\$ or transform\$ or conver\$) and non-uniform\$ near8 (encod\$ or transform\$ or conver\$)	1011	<u>L22</u>
<u>L21</u>	L20 and (no\$ near5 (uniform\$ near5 (encod\$ or transform\$ or conver\$)))	81	<u>L21</u>
<u>L20</u>	(uniform\$ near5 (encod\$ or transform\$ or conver\$))	8335	<u>L20</u>
<u>L19</u>	l1 and (tag\$ same assign\$ same null\$)	1	<u>L19</u>
<u>L18</u>	l1 and (tag\$ near9 (conver\$ or transform\$))	1	<u>L18</u>
<u>L17</u>	flag\$ near5 (allow\$ or (no\$ near4 allow\$)) near5 (transform\$ or conver\$)	23	<u>L17</u>
<u>L16</u>	L15 and (flag\$ or conve\$ or transform\$ or auto\$)	1	<u>L16</u>
<u>L15</u>	6230310.pn.	1	<u>L15</u>
<u>L14</u>	auto\$ near5 (conver\$ or transform\$) near5 flag\$	29	<u>L14</u>
<u>L13</u>	auto conversion flag\$	0	<u>L13</u>
<u>L12</u>	l1 and (switch\$ or uniform\$ or encod\$)	1	<u>L12</u>
<u>L11</u>	l1 and binary\$	0	<u>L11</u>
<u>L10</u>	l1 and (user\$ near9 attribut\$)	1	<u>L10</u>
<u>L9</u>	L8 and page\$	0	<u>L9</u>
<u>L8</u>	l1 and code\$	1	<u>L8</u>
<u>L7</u>	l1 and (codepage\$)	0	<u>L7</u>
<u>L6</u>	l1 and (attribut\$ or initia\$)	1	<u>L6</u>
<u>L5</u>	L4 and socket\$ and pipe\$	130	<u>L5</u>
<u>L4</u>	message queue	2252	<u>L4</u>
<u>L3</u>	l1 and (port\$ or service\$)	1	<u>L3</u>
<u>L2</u>	L1 and (messag\$ or queue\$)	1	<u>L2</u>
<u>L1</u>	6009436.pn.	1	<u>L1</u>

END OF SEARCH HISTORY